

A. MENARINI DIAGNOSTICS S.r.I. CAPITALE SOCIALE € 30.000.000 con socio unico Via Sette Santi, 3 - 50131 Firenze - Tel. 055.56801 C.P. 4063 - 50100 Firenze R.E.A. 56869 - C.F., P.I.V.A. e Reg. Imprese 05688870483 Società soggetta all'attività di direzione e coordinamento di A. Menarini Industrie Farmaceutiche Riunite S.r.I. - Via Sette Santi, 3 - 50131 Firenze - P.I. 00395270481



Safety Declaration

This is to certify that all the products listed below are not classified as dangerous preparation and contain no hazardous substance at an individual concentration \geq 1% by weight so that Material Safety Data Sheet is not required according to 1999/45/EC, 67/548/EEC, 2001/58/EC directives and following amendments and modifications.

39613	IgG FITC without Evans Blue 15ml	
39611	IgA FITC without Evans Blue 15ml	
39728	IgM FITC without Evans Blue 5ml	
39609	Polyvalent FITC (IgG/IgA) without Evans Blue 15ml	
39607	Polyvalent FITC (IgG/IgA/IgM) without Evans Blue	5ml
39605	Polyvalent FITC (IgG/IgA/IgM) without Evans Blue	15ml

Date: 09/01/2009

Annalise dippi

Dr. Annalisa Lippi Quality Control Manager

HEADQUARTERS - ITALY - EXPORT DIVISION: A. MENARINI DIAGNOSTICS - Via Lungo I'Ema, 7 - 50015 Grassina - Firenze, Italy - Tel. 0039-055.5680.204/7857/7894 - Fax 0039-055.5680902/216 - AUSTRIA: A. MENARINI G.m.b.H. - Pottendorfer Strasse, 25-27 - 1120 Wien - Tel. 0043-1-80415760 - Fax 0043-1-8043194 - BELGIUM: MENARINI DIAGNOSTICS BENELUX S.A./N.V. - Belgicastraat, 4 - 1930 Zaventem - Tel. 0032-2-7214545 - Fax 0032-2-7209292 - FRANCE: A. MENARINI DIAGNOSTICS FRANCE - 16, rue George Besse SILC 46 - 92182 Anthony Cedex - Tel. 0033-1-56451160 - Fax 0033-1-56451161 - GERMANY: A. MENARINI DIAGNOSTICS DEUTSCHLAND DIVISION DER BERLIN-CHEMIE AG - Glienicker Weg, 125 - D-12489 Berlin - Tel. 0049-30-67073000 - Fax 0049-30-67073020 - GREECE: MENARINI DIAGNOSTICS SA. - 575, Vouliagmenis Ave. - 164 51 Argyroupolis - Tel. 0032-120-994952 - Fax 0030-210-9945029 - THE NETHERLANDS: MENARINI DIAGNOSTICS BENELUX N.Y. - De Haak 8 - 5555 XK Valkenswaard - Tel. 0031-40-2082000 - Fax 0031-40-2042184 - PORTUGAL: MENARINI DIAGNOSTICS LDA - Quinta da Fonte - Edificio D. Manuel I, 2° B - 2770-203 Paço de Arcos - Tel. 00351-210-930000 - Fax 00351-210-993001 - SPAIN: A. MENARINI DIAGNOSTICS S.A. - Avenida del Maresme, 120 - 08918 Badalona (Barcelona) - Tel. 0034-33-5071000 - Fax 0034-93-2780215 - SWEDEN: A. MENARINI DIAGNOSTICS COUNTRIES S.r.I. - Per Albin Hanssons väg 41, Hus D - 21432 Maimò - Tel. 0046-40-321 271 - U.K.; A. MENARINI DIAGNOSTICS Ltd. - 405 Wharfedale Road - Winnersh, Wokingham - Berkshire RG41 5RA - Tel. 0044-118-9444110 - Fax 0044-118-9444110